



Shadowspec

SANCTUARY™

Exclusive, Dynamic Shade



Tilting Outdoor Umbrella



Fabric
Warranty*
BEST-IN-CLASS



Frame
Warranty*
BEST-IN-CLASS



Trusted for
over 25 years



Hand-built in
New Zealand




Marine
Grade

Patented & Trademarked Technology



SHADOWTILT™

The afternoon sun is no match for the full range of Tilt.



SHADOWPITCH™

Move forward with extra shade angles for all day shade.



SHADOWREEL™

Smooth, effortless winding action for easy deployment.




SHADOWLOCK™

Integrated security and wind-protection.


Canopy




Stock Colours




Oyster



Alpine Stone



Charcoal Tweed



Black


Special-Order Colours**



Natural




Storm



Charcoal



Slate



Taupe



Fern




Linen



Sunflower Yellow



Captain Navy



Terracotta

***Special-Order Colours are non-stock and will incur an additional lead time and surcharge. Full Sunbrella Marine Range or other identical fabrics are available as a custom colour option.*



RECASENS
BCN 1886

Solution Dyed Acrylic

Some fabric dying methods only coat the outer surface of the fibre - think of a radish.

With the Solution Dyed method, each individual thread fibre is dyed - think of a beetroot. The fabric is also easy to clean and covered by a 10 year warranty.

Frame Colour



Space Grey



Marine Grade



Solution-dyed, High Colour Fastness



UV and Fade Resistant



UPF 80 UV Protection



Eco-friendly Production



Breathable Weave



Mould and Mildew Resistant



Oil and Stain Repellent



Easy Clean



Water Resistant



Chlorine Resistant



Tear Resistant


Features



EASY OPEN & CLOSE
Umbrella deployment system for all day shade.




MARINE GRADE
No-rust, 316 Stainless Steel Spigot.




FOLLOW THE SUN
Enjoy the 360° rotation for all-day-shade.

Size & Configuration

SQUARE
3.0m | 10'



OCTAGON
4.0m | 13'




All sizings and conversions are approximate and subject to change without notice. Refer to specsheets for exact, up-to-date measurements.

North to South Tilting



Tilt Position 7



Tilt Position 0



Tilt Position -1

Accessories

N.b. Accessories are optional. Pricing additional.



PROTECTION COVER
Recommended, optional care and protection for your umbrella.



CASTOR WHEELS
FOR FREE-STANDING BASE

Mounting Options

SURFACE PLATE
For deck, patio and concrete mounting.
(316 stainless steel)



IN-GROUND ANCHOR
For mounting with a concrete footing.



WALL MOUNT BRACKET
For when ground mounting isn't possible.
(316 stainless steel)



FREE-STANDING BASE + ALUMINIUM BASE COVER
For complete customised manoeuvrability.



Note: Fastenings are not supplied for the Surface Plate or Wall Mount Bracket..

Available in Space Grey or Heron Black.
Concrete pavers (not included) are required for ballast. Optional Castor Wheels available.

Dimensions




Diagram Legend	3.0m	10'	4.0m	13'
A Ground to End of rib tips when closed*	743mm	2'5"	1030mm	3'5"
B Total height to top of Canopy*	2730mm	9'	2724mm	9'
C Height of umbrella to top of Mast Cap	2758mm	9'1"	2758mm	9'1"
D Ground to Central Frame Hub when open	2024mm	6'8"	2105mm	6'11"
E Ground to lower outer edge of Canopy	2130mm	7'	2110mm	7'
F Centre of Spigot to outside edge of Canopy	3265mm	10'9"	4090mm	13'5"
G Canopy Width	3000mm	9'10"	3981mm	13'1"

Note: All sizings and conversions are +/- 2.5mm / 2/32" and are subject to change without notice.
It is recommended for commerical installations that metric measurements are used for any umbrella spacing to ensure accuracy

Contact our shade specialists
for information and advice.

Australia
1800 144 155
www.shadowspec.com.au

New Zealand
0800 144 155
www.shadowspec.co.nz

*Warranty conditions apply: 3 year warranty for commercial applications.
SSBRSAYNZAUD2C | P01/26